



# Foam Wall Berm

Drive On - Drive Off



The [OX Foam Wall Berm](#) is the perfect solution for drive-through secondary containment ideal for frac tanks, large machinery, vehicles, and other moving equipment. These berms have four foam walls that allow items to be rolled on the berm from any direction. They have a low profile while maintaining high durability.



GEI  
WORKS

# Foam Wall Berm

## Drive On - Drive Off

[OX Foam Wall Berms](#) are a reliable choice for spill containment under leaking vehicles, machinery or storage equipment. The equipment can drive directly onto these berms, built with durable, low-profile foam sides.

### Applications

- Job site Secondary Containment
- Frac Tank Containment
- Car/Vehicle Wash Down
- Leaking Equipment
- Fueling Trucks/Stations
- HAZMAT Spill Response
- Large Machinery

### Advantages

- Drive Through Ready
- Durable
- Low Profile
- Materials Quickly Moved on and off
- Resists a Broad Spectrum of Chemicals
- Rolls up for Easy Transportation
- Built to your Size Requirements
- Cost-Effective Containment Solutions
- Rapid Response to Leaks and Spills

### Containment Berm Fabrics and Compatibility

Most of our fabrics are compatible with the following liquids. Please contact our team with MSDS information to confirm compatibility for your specific needs.

- Fuel
- Oil and Grease
- Hydrocarbons
- Chemicals and Small Equipment



### Accessories

- Berm Runners
- Storage Crates
- Ground Mats
- Wear Pads
- Repair Kits
- Replacement Foam

# Foam Wall Berm

## Drive On - Drive Off

### SPECIFICATIONS

<b>Material Options</b>	<b>Dimensions</b>	<b>Capacity</b>
22 oz PVC	6' (1.8 m) x 6' (1.8 m) 4" (0.10 m)	90 gal. (341 L)
36 mil PVC	10 ft. (3 m) x 10 ft. (3 m) x 4" (0.10 m)	247 gal. (935 L)
40 mil LLDPE	20 ft. (6 m) x 10' (3. m) x 4" (0.10 m)	494 gal. (1870 L)
30 oz. XR-5	20 ft. (6 m) x 15 ft. (4.6 m) x 4" (0.10 m)	748 gal. (2831 L)
32 oz Polyurethane	40 ft. (12.2 m) x 10 ft. (3m) x 4" (0.10 m)	997 gal. (3774 L)
	50 ft. (15.24 m) x 10 ft. (3m) x 4" (0.10 m)	1247 gal. (4720 L)
	60 ft. (18.3 m) x 15 ft. (4.6 m) x 4" (0.10 m)	2244 gal. (8494 L)

For more complete information on GEI Works products and solutions, visit us on the Web at [www.geiworks.com](http://www.geiworks.com).

Toll Free: 1-888-703-9889 | Phone: (1+) 772-646-0597 | [info@geiworks.com](mailto:info@geiworks.com)

© 2015 GEI Works

All rights reserved

GEI Works terms and conditions apply.

All photos are representatives only. Actual product may differ than featured.

Materials and specifications are subject to change without notice. Featured products in photos may include additional equipment or accessories. See your GEI Works Dealer for available options.

GEI Works, Mars, Taurus, Triton, Kraken, Orion, Vulcan and [geiworks.com](http://geiworks.com), their respective logos, product identity used herein, are trademarks of GEI Works and may not be used without permission.